



*Recommend crimping case mouth into front cannelure groove.

◆ Indicates most accurate load

.378 Weatherby Magnum

Bullet Weight: 235 gr **Case Trim Length:** 2.903" **S.D.** 0.239
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.270
COAL: 3.630" **Barrel Length:** 25"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ H4831SC	107.0	2914	115.0	3169	97
MagPro	122.0	3129	130.0	3309	99

Bullet Weight: 270 gr **Case Trim Length:** 2.903" **S.D.** 0.274
Bullet Style: Banded Solid **Primer:** Fed GM215M **B.C.** 0.284
COAL: 3.610" **Barrel Length:** 25"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
MagPro	116.0	2988	125.0	3140	97
◆ RL 22	107.0	2866	115.0	3103	98

Bullet Weight: 270 gr **Case Trim Length:** 2.903" **S.D.** 0.274
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.326
COAL: 3.630" **Barrel Length:** 25"
Case: Norma **Twist Rate:** 1:12"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
RL 22	104.5	2787	112.5	3062	98
◆ Magnum	114.0	2897	122.0	3065	98

.378 Weatherby Magnum

Bullet Weight: 300 gr

Bullet Style: Banded Solid

COAL: 3.640"

Case: Norma

Case Trim Length: 2.903"

Primer: Fed GM215M

Barrel Length: 25"

Twist Rate: 1:12"

S.D. 0.305

B.C. 0.307

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H4831SC	99.5	2668	107.5	2877	93
♦ Magnum	107.0	2750	114.5	2940	91

Bullet Weight: 300 gr

Bullet Style: TSX FB

COAL: 3.630"

Case: Norma

Case Trim Length: 2.903"

Primer: Fed GM215M

Barrel Length: 25"

Twist Rate: 1:12"

S.D. 0.305

B.C. 0.357

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ RL 19	100.0	2678	108.0	2905	98
RL 22	103.0	2662	111.0	2928	100