



◆ Indicates most accurate load

.338 Lapua

Bullet Weight: 160 gr **Case Trim Length:** 2.714" **S.D.** 0.200
Bullet Style: TTSX BT **Primer:** Fed 215 **B.C.** 0.342
COAL: 3.560" **Barrel Length:** 24"
Case: Lapua **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
Vit N165	100.0	3353	105.0	3540	102
◆ RL 22	98.0	3367	103.0	3508	100

Bullet Weight: 185 gr **Case Trim Length:** 2.714" **S.D.** 0.231
Bullet Style: MRX BT **Primer:** Fed GM215M **B.C.** 0.379
COAL: 3.560" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Bullet Weight: 185 gr **Case Trim Length:** 2.714" **S.D.** 0.231
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.352
COAL: 3.530" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
MagPro	96.5	3198	101.5	3333	90
◆ RL 25	95.5	3206	100.5	3359	97

Bullet Weight: 210 gr **Case Trim Length:** 2.714" **S.D.** 0.263
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.404
COAL: 3.530" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
RL 25	90.5	3018	95.5	3148	95
◆ VIT N170	94.0	2961	99.0	3107	98

.338 Lapua

Bullet Weight: 225 gr **Case Trim Length:** 2.714" **S.D.** 0.281
Bullet Style: MRX BT **Primer:** Fed GM215M **B.C.** 0.433
COAL: 3.560" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Bullet Weight: 225 gr **Case Trim Length:** 2.714" **S.D.** 0.281
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.386
COAL: 3.530" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ Magnum	90.0	2841	97.0	3039	91
RL 25	86.5	2883	91.5	3012	93

Bullet Weight: 225 gr **Case Trim Length:** 2.714" **S.D.** 0.281
Bullet Style: TTSX BT **Primer:** Fed 215 **B.C.** 0.514
COAL: 3.600" **Barrel Length:** 24"
Case: Lapua **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 7828SSC	85.0	2779	90.0	2942	90
Magnum	93.5	2859	98.5	2998	95

Bullet Weight: 250 gr **Case Trim Length:** 2.714" **S.D.** 0.313
Bullet Style: Banded Solid **Primer:** Fed GM215M **B.C.** 0.208
COAL: 3.520" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Bullet Weight: 250 gr **Case Trim Length:** 2.714" **S.D.** 0.313
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.425
COAL: 3.530" **Barrel Length:** 24"
Case: Norma **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ Retumbo	82.0	2651	87.0	2792	94
VIT N170	84.0	2654	89.0	2810	92

.338 Lapua

Bullet Weight: 265 gr
Bullet Style: TTSX BT
COAL: 3.680"
Case: Lapua

Case Trim Length: 2.714"
Primer: Fed 215
Barrel Length: 24"
Twist Rate: 1:10"

S.D. 0.331
B.C. *

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 7828SSC	77.5	2482	82.5	2628	86
Magnum	86.0	2609	91.0	2723	90

Bullet Weight: 285 gr
Bullet Style: TSX BT
COAL: 3.630"
Case: Lapua

Case Trim Length: 2.714"
Primer: Fed 215
Barrel Length: 24"
Twist Rate: 1:10"

S.D. 0.356
B.C. 0.585

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ Vit N170	81.5	2416	86.5	2563	92
US869	95.5	2505	100.5	2650	99