


300 Winchester Short Magnum

Case: Remington	Primer: Remington 9 1/2M
Case Trim: 2.090"	Barrel Length: 24"
Twist Rate: 1:10"	Barrel: Krieger



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Recommended Powder*

[°] Compressed Load

300 Winchester Short Magnum



110-grain TSX FB / TAC-X FB
Sectional Density .166
Ballistic Coefficient .264
C.O.A.L 2.790"

Suggested Bullet Use



110-grain TTSX FB / TAC-TX FB
Sectional Density .166
Ballistic Coefficient .295
C.O.A.L 2.790"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	58.9	3453	65.4	3784
H4895	60.3	3423	67.0 ^c	3809
Varget	63.3	3395	70.3 ^c	3811
IMR 4064	61.8	3367	68.7 ^c	3812
A-2520	64.8	3515	72.0	3826
Big Game	71.5	3541	79.5 ^c	3879
RL 15	63.6	3372	70.6	3805
Win 760	72.0	3545	80.0 ^c	3880
H414	71.7	3535	79.6 ^c	3866
[*] Powerpro 2000MR	67.9	3486	75.5 ^c	3856



130-grain TSX BT
Sectional Density .196
Ballistic Coefficient .340
C.O.A.L 2.860"

Suggested Bullet Use



130-grain TTSX BT
Sectional Density .196
Ballistic Coefficient .350
C.O.A.L 2.830"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	56.4	3165	62.6	3483
H4895	57.3	3137	63.6	3500
Varget	59.8	3148	66.5 ^c	3521
IMR 4064	58.9	3153	65.4	3519
A-2520	61.9	3239	68.8	3547
Big Game	67.6	3299	75.1 ^c	3591
RL 15	60.0	3133	66.6	3523
Win 760	66.6	3180	74.0 ^c	3558
H414	66.4	3220	73.8 ^c	3567
[*] PowerPro 2000MR	63.6	3193	70.6	3572

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

^{*}Recommended Powder

^c Compressed Load

300 Winchester Short Magnum



150-grain TSX BT / TAC-X BT
Sectional Density .226
Ballistic Coefficient .369
C.O.A.L 2.860"

Suggested Bullet Use



150-grain TTSX BT
Sectional Density .226
Ballistic Coefficient .420
C.O.A.L 2.830"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	52.8	2944	58.7	3211
H4895	54.5	2928	60.6	3240
Varget	57.0	2963	63.4	3276
*IMR 4064	56.5	2963	62.8	3291
Big Game	64.3	3047	71.5 ^c	3342
RL 15	57.0	2951	63.3	3273
A-2700	64.0	3047	71.1 ^c	3352
Win 760	63.7	3004	70.8 ^c	3341
H414	62.4	2990	69.4 ^c	3326
PowerPro 2000MR	59.5	2984	66.1	3322



150-grain MPG / TAC-RRLP
Sectional Density .226
Ballistic Coefficient .357
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	51.5	2912	57.2	3145
H4895	53.6	2923	59.5	3212
Varget	55.5	2926	61.6	3224
IMR 4064	55.3	2937	61.4	3248
Big Game	62.5	2998	69.4 ^c	3303
RL 15	54.4	2937	60.5	3194
A-2700	62.2	2947	69.1 ^c	3296
Win 760	62.3	2939	69.2 ^c	3287
H414	61.8	2935	68.7 ^c	3276
RL 17	61.8	2962	68.6 ^c	3351

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Powder

^c Compressed Load

300 Winchester Short Magnum



155-grain Match Burner

Sectional Density .233
Ballistic Coefficient .467
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	54.2	2916	60.2	3187
H4895	54.6	2900	60.7	3187
Varget	57.1	2925	63.4	3227
IMR 4064	56.2	2909	62.4	3216
Big Game	62.8	3011	69.8 ^c	3278
*RL 15	57.4	2879	63.8	3220
A-2700	63.3	2960	70.3 ^c	3291
Win 760	63.5	2909	70.6 ^c	3284
H414	63.1	2926	70.1 ^c	3290
RL 17	62.5	2942	69.5 ^c	3323



165-grain TSX BT

Sectional Density .248
Ballistic Coefficient .398
C.O.A.L 2.860"

Suggested Bullet Use



165-grain TTSX BT

Sectional Density .248
Ballistic Coefficient .442
C.O.A.L 2.830"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	51.0	2782	56.7	3019
Big Game	62.6	2922	69.6 ^c	3180
RL 15	53.8	2816	59.8	3047
A-2700	61.6	2877	68.5 ^c	3182
IMR 4007SSC	60.1	2851	66.8 ^c	3156
Win 760	61.4	2860	68.2 ^c	3168
H414	61.1	2875	67.9 ^c	3178
RL 17	61.7	2916	68.6 ^c	3258
*H4350	62.6	2894	69.6 ^c	3181

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Powder

^c Compressed Load

300 Winchester Short Magnum



168-grain TSX BT / TAC-X BT
Sectional Density .253
Ballistic Coefficient .404
C.O.A.L 2.860"

Suggested Bullet Use



168-grain TTSX BT / TAC-TX BT
Sectional Density .253
Ballistic Coefficient .470
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
IMR 8208 XBR	50.7	2738	56.3	2983
Big Game	61.7	2894	68.5 ^c	3151
*RL 15	54.5	2809	60.5	3057
A-2700	61.4	2838	68.2 ^c	3150
IMR 4007SSC	59.9	2795	66.6 ^c	3120
Win 760	61.5	2853	68.4 ^c	3158
H414	60.6	2822	67.4 ^c	3129
RL 17	61.2	2863	68.0 ^c	3210
H4350	62.4	2847	69.4 ^c	3126



175-grain LRX BT
Sectional Density .264
Ballistic Coefficient .508
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	59.9	2787	66.6 ^c	3049
RL 15	53.6	2692	59.5	2975
A-2700	59.9	2763	66.6 ^c	3083
H380	59.1	2804	65.7 ^c	3051
IMR 4007SSC	58.6	2721	65.1 ^c	3039
PowerPro 2000MR	57.6	2771	64.0	3058
Win 760	60.3	2748	67.0 ^c	3075
H414	59.5	2736	66.1 ^c	3060
*RL 17	58.8	2806	65.4 ^c	3112
Hybrid 100V	62.0	2830	68.8 ^c	3141

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Powder

^c Compressed Load

300 Winchester Short Magnum



175-grain Match Burner
Sectional Density .264
Ballistic Coefficient .521
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	61.6	2816	68.4 ^c	3092
RL 15	54.6	2753	60.6	3005
A-2700	60.9	2802	67.7 ^c	3102
IMR 4007SSC	59.7	2774	66.4 ^c	3079
Win 760	58.3	2731	64.8	3032
H414	60.6	2796	67.3 ^c	3093
RL 17	60.5	2799	67.2 ^c	3144
*IMR 4350	62.3	2792	69.2 ^c	3111
H4350	61.4	2777	68.2 ^c	3079
Hunter	65.5	2861	72.8 ^c	3163



180-grain TSX BT
Sectional Density .271
Ballistic Coefficient .453
C.O.A.L 2.830"

Suggested Bullet Use



180-grain TTSX BT
Sectional Density .271
Ballistic Coefficient .484
C.O.A.L 2.830"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	58.6	2755	65.1 ^c	2993
RL 15	52.2	2664	58.0	2884
A-2700	59.0	2717	65.6 ^c	3019
IMR 4007SSC	57.7	2692	64.1 ^c	2987
Win 760	59.6	2686	66.2 ^c	3002
H414	60.1	2747	66.8 ^c	3026
RL 17	59.4	2755	66.0 ^c	3084
*IMR 4350	60.7	2745	67.4 ^c	3051
H4350	60.4	2721	67.1 ^c	2996
Hunter	65.3	2813	72.5 ^c	3107

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Powder

^c Compressed Load

300 Winchester Short Magnum



200-grain TSX FB
Sectional Density .301
Ballistic Coefficient .423
C.O.A.L 2.830"

Suggested Bullet Use



200-grain LRX BT
Sectional Density .301
Ballistic Coefficient .546
C.O.A.L 2.860"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	55.5	2585	61.7	2816
*IMR 4007SSC	54.8	2539	60.9 ^c	2793
Win 760	53.5	2515	59.4	2763
RL 17	55.9	2585	62.2 ^c	2878
A-4350	57.8	2544	64.3 ^c	2815
IMR 4350	57.5	2559	63.9 ^c	2867
H4350	56.7	2540	63.0 ^c	2818
Hunter	61.2	2655	68.0 ^c	2908
Hybrid 100V	56.8	2580	63.1 ^c	2862
RL 19	61.6	2633	68.4 ^c	2911

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Recommended Powder

^c Compressed Load