

9mm Luger

Case: R-P


Primer: Rem 1 1/2

Case Trim: 0.744"

Barrel Length: 5.00"

Twist Rate: 1:10"

Barrel: Wiseman



* Use a taper crimp on the case mouth.

*The Barnes 115gr XPB bullet has a slight taper on the base to prevent bulging of the case wall once the bullet is seated. Only slight case mouth bellling is needed prior to seating the bullet in the case.

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

° Compressed Load

9mm Luger



95-grain TAC-XP
Sectional Density .108
Ballistic Coefficient .120
C.O.A.L 1.125"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Bullseye	4.1	1181	4.6 ^c	1266
Titegroup	3.8	1115	4.3 ^c	1223
A-No.2	3.8	1042	4.2 ^c	1133
Win 231	4.1	1075	4.6 ^c	1194
Zip	4.2	1082	4.6 ^c	1184
IMR 700X	4.3	1180	4.8 ^c	1278
A-No.5	6.1	1090	6.8 ^c	1219
Power Pistol	5.8	1249	6.4 ^c	1341
HS-6	6.0	1121	6.7 ^c	1247
Silhouette	5.4	1169	6.0 ^c	1280
True Blue	5.5	1125	6.1 ^c	1242



115-grain TAC-XP
Sectional Density .130
Ballistic Coefficient .167
C.O.A.L 1.125"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Bullseye	3.4	939	3.8 ^c	1022
Titegroup	3.1	886	3.5 ^c	986
Win 231	3.3	830	3.7 ^c	949
Zip	3.4	827	3.7 ^c	947
IMR 700X	3.5	958	3.9 ^c	1030
A-No.5	5.2	916	5.8 ^c	1036
Power Pistol	4.5	979	5.0 ^c	1086
HS-6	5.0	904	5.5 ^c	1026
Silhouette	4.4	955	4.8 ^c	1039
True Blue	4.5	903	5.0 ^c	1021

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load