

6mm Creedmoor

Case: Hornady


Primer: Rem 9 1/2

Case Trim: 1.910"

Barrel Length: 24"

Twist Rate: 1:7.5"

Barrel: H-S Precision



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Most Accurate Load*

° Compressed Load

6mm Creedmoor



95-grain LRX BT

Sectional Density 0.230

Ballistic Coefficient 0.436

C.O.A.L 2.775"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
A2700	39.0	2862	43.0	3156
*RL 16	39.2	2936	43.2 ^c	3236
RL 17	38.5	2934	42.5	3239
H4350	38.5	2869	42.5	3167
Hunter	41.0	2938	45.0 ^c	3192
Superformance	42.5	2957	46.5 ^c	3235



112-grain Match Burner

Sectional Density 0.271

Ballistic Coefficient 0.624

C.O.A.L 2.775"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
A2700	36.0	2602	42.0	2935
*RL 16	37.0	2744	41.0	2976
RL 17	35.0	2650	40.3	3008
H4350	35.5	2600	40.7	2935
Magnum	44.0	2617	48.5 ^c	3000
Superformance	40.5	2720	45.0	2993
Power Pro 4000-MR	38.5	2620	42.5	2970

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load