



*A 1:9" or faster twist is recommended for the 175-grain TSX bullet.

◆ Indicates most accurate load

7mm Remington Magnum

Bullet Weight: 110 gr **Case Trim Length:** 2.490" **S.D.** 0.195
Bullet Style: TTSX FB **Primer:** Fed 215 **B.C.** 0.319
COAL: 3.250" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ H4831SC	69.0	3206	74.0	3451	95
Magnum	77.5	3343	82.5	3549	98

Bullet Weight: 120 gr **Case Trim Length:** 2.490" **S.D.** 0.213
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.349
COAL: 3.240" **Barrel Length:** 24"
Case: W-W **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ IMR 4831	65.0	3194	69.0	3380	95
RL 22	67.0	3186	72.0	3407	96

Bullet Weight: 140 gr **Case Trim Length:** 2.490" **S.D.** 0.248
Bullet Style: Banded Spitzer Solid **Primer:** Fed GM215M **B.C.** 0.464
COAL: 3.240" **Barrel Length:** 24"
Case: W-W **Twist Rate:** 1:9.5"

Bullet Weight: 140 gr **Case Trim Length:** 2.490" **S.D.** 0.248
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.394
COAL: 3.240" **Barrel Length:** 24"
Case: W-W **Twist Rate:** 1:9.5"

Bullet Weight: 140 gr **Case Trim Length:** 2.490" **S.D.** 0.248
Bullet Style: MRX BT **Primer:** Fed GM215M **B.C.** 0.406
COAL: 3.240" **Barrel Length:** 24"
Case: W-W **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
RL 22	60.0	2868	66.0	3107	90
◆ Retumbo	68.0	2965	73.0	3145	102

Bullet Weight: 150 gr
Bullet Style: TSX BT
COAL: 3.240"
Case: W-W

Case Trim Length: 2.490"
Primer: Fed GM215M
Barrel Length: 24"
Twist Rate: 1:9.5"

S.D. 0.266
B.C. 0.408

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4831	54.0	2737	60.0	2963	87
RL 22	57.5	2795	63.5	3018	88

7mm Remington Magnum

Bullet Weight: 160 gr
Bullet Style: TSX FB
COAL: 3.240"
Case: W-W

Case Trim Length: 2.490"
Primer: Fed GM215M
Barrel Length: 24"
Twist Rate: 1:9.5"

S.D. 0.283
B.C. 0.392

Bullet Weight: 160 gr
Bullet Style: MRX BT
COAL: 3.240"
Case: W-W

Case Trim Length: 2.490"
Primer: Fed GM215M
Barrel Length: 24"
Twist Rate: 1:9.5"

S.D. 0.283
B.C. 0.439

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H1000	59.0	2621	66.0	2842	93
♦ RL 25	55.5	2645	63.0	2856	88

Bullet Weight: 175 gr
Bullet Style: TSX FB
COAL: 3.240"
Case: W-W

Case Trim Length: 2.490"
Primer: Fed GM215M
Barrel Length: 24"
Twist Rate: 1:9.5"

S.D. 0.310
B.C. 0.417

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4831	51.5	2465	56.5	2674	85
Magnum	64.0	2566	69.0	2757	92
