



\*A 1:9" or faster twist is recommended for the 175-grain TSX bullet.

◆ Indicates most accurate load

**7mm Remington Magnum**

**Bullet Weight:** 110 gr                      **Case Trim Length:** 2.490"                      **S.D.** 0.195  
**Bullet Style:** TTSX FB                      **Primer:** Fed 215                      **B.C.** 0.319  
**COAL:** 3.250"                      **Barrel Length:** 24"  
**Case:** R-P                      **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ H4831SC	69.0	3206	74.0	3451	95
Magnum	77.5	3343	82.5	3549	98

**Bullet Weight:** 120 gr                      **Case Trim Length:** 2.490"                      **S.D.** 0.213  
**Bullet Style:** TSX BT                      **Primer:** Fed GM215M                      **B.C.** 0.349  
**COAL:** 3.240"                      **Barrel Length:** 24"  
**Case:** W-W                      **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ IMR 4831	65.0	3194	69.0	3380	95
RL 22	67.0	3186	72.0	3407	96

**Bullet Weight:** 140 gr                      **Case Trim Length:** 2.490"                      **S.D.** 0.248  
**Bullet Style:** Banded Spitzer Solid                      **Primer:** Fed GM215M                      **B.C.** 0.464  
**COAL:** 3.240"                      **Barrel Length:** 24"  
**Case:** W-W                      **Twist Rate:** 1:9.5"

**Bullet Weight:** 140 gr                      **Case Trim Length:** 2.490"                      **S.D.** 0.248  
**Bullet Style:** TSX BT                      **Primer:** Fed GM215M                      **B.C.** 0.394  
**COAL:** 3.240"                      **Barrel Length:** 24"  
**Case:** W-W                      **Twist Rate:** 1:9.5"

**Bullet Weight:** 140 gr                      **Case Trim Length:** 2.490"                      **S.D.** 0.248  
**Bullet Style:** MRX BT                      **Primer:** Fed GM215M                      **B.C.** 0.406  
**COAL:** 3.240"                      **Barrel Length:** 24"  
**Case:** W-W                      **Twist Rate:** 1:9.5"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
RL 22	60.0	2868	66.0	3107	90
◆ Retumbo	68.0	2965	73.0	3145	102

---

**Bullet Weight:** 150 gr  
**Bullet Style:** TSX BT  
**COAL:** 3.240"  
**Case:** W-W

**Case Trim Length:** 2.490"  
**Primer:** Fed GM215M  
**Barrel Length:** 24"  
**Twist Rate:** 1:9.5"

**S.D.** 0.266  
**B.C.** 0.408

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4831	54.0	2737	60.0	2963	87
RL 22	57.5	2795	63.5	3018	88

---

**7mm Remington Magnum**

**Bullet Weight:** 160 gr  
**Bullet Style:** TSX FB  
**COAL:** 3.240"  
**Case:** W-W

**Case Trim Length:** 2.490"  
**Primer:** Fed GM215M  
**Barrel Length:** 24"  
**Twist Rate:** 1:9.5"

**S.D.** 0.283  
**B.C.** 0.392

**Bullet Weight:** 160 gr  
**Bullet Style:** MRX BT  
**COAL:** 3.240"  
**Case:** W-W

**Case Trim Length:** 2.490"  
**Primer:** Fed GM215M  
**Barrel Length:** 24"  
**Twist Rate:** 1:9.5"

**S.D.** 0.283  
**B.C.** 0.439

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H1000	59.0	2621	66.0	2842	93
♦ RL 25	55.5	2645	63.0	2856	88

---

**Bullet Weight:** 175 gr  
**Bullet Style:** TSX FB  
**COAL:** 3.240"  
**Case:** W-W

**Case Trim Length:** 2.490"  
**Primer:** Fed GM215M  
**Barrel Length:** 24"  
**Twist Rate:** 1:9.5"

**S.D.** 0.310  
**B.C.** 0.417

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4831	51.5	2465	56.5	2674	85
Magnum	64.0	2566	69.0	2757	92

---