

Revised 5/2010



*A 1:9.5" or faster twist is recommended for the 150-grain TSX.

◆ Indicates most accurate load

.270 Winchester Short Magnum

Bullet Weight: 85 gr **Case Trim Length:** 2.090" **S.D.** 0.158
Bullet Style: MPG FB **Primer:** Fed 215 **B.C.** 0.229
COAL: 2.650" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Hunter	66.5	3605	72.0	3895	95
RL 17	62.5	3545	68.0	3894	95

Bullet Weight: 85 gr **Case Trim Length:** 2.090" **S.D.** 0.158
Bullet Style: TSX FB **Primer:** Fed 215 **B.C.** 0.246
COAL: 2.650" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ RL 17	64.5	3571	70.0	3948	97
A-2700	64.0	3568	69.5	3883	89

Bullet Weight: 95 gr **Case Trim Length:** 2.090" **S.D.** 0.177
Bullet Style: TTSX BT **Primer:** Fed 215 **B.C.** 0.296
COAL: 2.650" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Hunter	65.0	3488	70.5	3740	95
RL 17	61.5	3357	67.0	3765	96

270 WSM

Bullet Weight: 110 gr **Case Trim Length:** 2.090" **S.D.** 0.205
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.323
COAL: 2.745" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4350	63.0	3277	67.5	3552	100
RL 19	66.0	3293	71.0	3552	102

Bullet Weight: 120 gr **Case Trim Length:** 2.090" **S.D.** 0.223
Bullet Style: Banded Solid Spitzer **Primer:** Fed GM215M **B.C.** 0.438
COAL: 2.800" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ H4350	60.5	3195	65.0	3397	95
Hunter	64.0	3244	67.0	3392	93

Bullet Weight: 130 gr **Case Trim Length:** 2.090" **S.D.** 0.242
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.431
COAL: 2.830" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Bullet Weight: 130 gr **Case Trim Length:** 2.090" **S.D.** 0.242
Bullet Style: MRX BT **Primer:** Fed GM215M **B.C.** 0.380
COAL: 2.780" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ RL 19	58.0	2925	65.0	3217	97
MagPro	67.5	2983	74.0	3260	99

270 WSM

Bullet Weight: 140 gr **Case Trim Length:** 2.090" **S.D.** 0.261
Bullet Style: TSX BT **Primer:** Fed GM215M **B.C.** 0.404
COAL: 2.740" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ MagPro	64.0	2861	70.5	3125	96
RL 22	58.5	2834	64.5	3120	97

Bullet Weight: 150 gr **Case Trim Length:** 2.090" **S.D.** 0.279
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.386
COAL: 2.750" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Bullet Weight: 150 gr **Case Trim Length:** 2.090" **S.D.** 0.279
Bullet Style: MRX BT **Primer:** Fed GM215M **B.C.** 0.425
COAL: 2.784" **Barrel Length:** 24"
Case: Winchester **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ H1000	58.5	2636	65.0	2891	99
Magnum	62.0	2755	69.0	3030	97