

Revised 5/2010



\*A 1:9.5" or faster twist is recommended for the 150-grain TSX.

◆ Indicates most accurate load

### .270 Winchester Short Magnum

**Bullet Weight:** 85 gr                      **Case Trim Length:** 2.090"                      **S.D.**      0.158  
**Bullet Style:** MPG FB                      **Primer:** Fed 215                      **B.C.**      0.229  
**COAL:** 2.650"                      **Barrel Length:** 24"  
**Case:** R-P                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Hunter	66.5	3605	72.0	3895	95
RL 17	62.5	3545	68.0	3894	95

**Bullet Weight:** 85 gr                      **Case Trim Length:** 2.090"                      **S.D.**      0.158  
**Bullet Style:** TSX FB                      **Primer:** Fed 215                      **B.C.**      0.246  
**COAL:** 2.650"                      **Barrel Length:** 24"  
**Case:** R-P                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ RL 17	64.5	3571	70.0	3948	97
A-2700	64.0	3568	69.5	3883	89

**Bullet Weight:** 95 gr                      **Case Trim Length:** 2.090"                      **S.D.**      0.177  
**Bullet Style:** TTSX BT                      **Primer:** Fed 215                      **B.C.**      0.292  
**COAL:** 2.650"                      **Barrel Length:** 24"  
**Case:** R-P                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Hunter	65.0	3488	70.5	3740	95
RL 17	61.5	3357	67.0	3765	96

**270 WSM**

**Bullet Weight:** 110 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.205  
**Bullet Style:** TSX BT                              **Primer:** Fed GM215M                      **B.C.** 0.323  
**COAL:** 2.745"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ IMR 4350	63.0	3277	67.5	3552	100
RL 19	66.0	3293	71.0	3552	102

**Bullet Weight:** 120 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.223  
**Bullet Style:** Banded Solid Spitzer                              **Primer:** Fed GM215M                      **B.C.** 0.438  
**COAL:** 2.800"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ H4350	60.5	3195	65.0	3397	95
Hunter	64.0	3244	67.0	3392	93

**Bullet Weight:** 130 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.242  
**Bullet Style:** TSX BT                              **Primer:** Fed GM215M                      **B.C.** 0.431  
**COAL:** 2.830"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

**Bullet Weight:** 130 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.242  
**Bullet Style:** MRX BT                              **Primer:** Fed GM215M                      **B.C.** 0.380  
**COAL:** 2.780"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ RL 19	58.0	2925	65.0	3217	97
MagPro	67.5	2983	74.0	3260	99

**270 WSM**

**Bullet Weight:** 140 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.261  
**Bullet Style:** TSX BT                              **Primer:** Fed GM215M                      **B.C.** 0.404  
**COAL:** 2.740"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ MagPro	64.0	2861	70.5	3125	96
RL 22	58.5	2834	64.5	3120	97

**Bullet Weight:** 150 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.279  
**Bullet Style:** TSX FB                              **Primer:** Fed GM215M                      **B.C.** 0.386  
**COAL:** 2.750"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

**Bullet Weight:** 150 gr                      **Case Trim Length:** 2.090"                      **S.D.** 0.279  
**Bullet Style:** MRX BT                              **Primer:** Fed GM215M                      **B.C.** 0.425  
**COAL:** 2.784"                                      **Barrel Length:** 24"  
**Case:** Winchester                                      **Twist Rate:** 1:10"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ H1000	58.5	2636	65.0	2891	99
Magnum	62.0	2755	69.0	3030	97