



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
130gr	TSX BT	30345	0.196	0.340	3.600"
130gr	TTXS BT	30364	0.196	0.350	3.600"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Magnum	103.5	3423	109.0	3579
H1000	101.0	3435	105.0	3587
VIT N-160	85.0	3441	91.5	3605
Hunter	88.0	3433	95.0	3653
IMR 7828SSC	94.0	3434	100.0	3673
RL 22	95.0	3508	99.5	3692
RL 19	93.5	3527	98.5	3698
*RL 25	98.5	3528	104.5	3722
MagPro	100.0	3524	106.5	3724



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
150gr	TSX BT TAC-X BT	30347 30337	0.226	0.369	3.600"
150gr	TTXS BT	30366	0.226	0.420	3.600"
150gr	MPG FB TAC-RRLP	30331 30313	0.226	0.357	3.600"
155gr	Match Burner BT	30381	0.233	0.467	3.600"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H4831SC	87.0	3166	95.0	3408
VIT N165	87.0	3175	95.0	3424
Magnum	97.0	3191	105.0	3440
H1000	94.0	3184	102.0	3445
Retumbo	95.0	3167	103.0	3453
IMR 4350	81.0	3183	89.0	3458
IMR 7828SSC	87.5	3204	95.5	3476
RL 25	92.0	3208	100.0	3485
MagPro	92.0	3229	100.0	3503
RL 22	87.5	3237	95.5	3505



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
165gr	TSX BT	30349	0.248	0.398	3.600"
165gr	TTXS BT	30368	0.248	0.442	3.600"
168gr	TSX BT	30351	0.253	0.404	3.600"
	TAC-X BT	30338			
168gr	TTXS BT	30370	0.253	0.470	3.600"
	TAC-TX BT	30359			

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H1000	88.5	3068	96.5	3264
H4831SC	83.5	3080	91.5	3278
IMR 7828SSC	82.5	3045	90.5	3280
Retumbo	88.5	3097	96.5	3287
RL 19	82.5	3140	90.5	3321
*RL 25	86.5	3153	94.5	3327
Magnum	94.5	3085	102.5	3333
RL 22	83.5	3169	91.5	3343



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
175gr	Match Burner BT	30385	0.264	0.521	3.600"
175gr	LRX BT	30318	0.264	0.508	3.600"
180gr	TSX BT	30353	0.271	0.453	3.600"
180gr	TTXS BT	30372	0.271	0.484	3.600"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
VIT N170	80.0	2820	90.5	3075
H1000	81.0	2853	92.0	3113
IMR 7828SSC	78.0	2889	86.5	3130
MagPro	81.5	2874	91.0	3150
RL 25	80.0	2910	90.0	3151
RL 22	77.0	2907	87.0	3153
RL 26	82.0	2940	90.0	3160
*Retumbo	84.0	2935	93.0	3171
Magnum	91.0	2945	98.5	3176
US869	101.0	2999	107.0	3180



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
190gr	LRX BT	30377	0.286	0.541	3.600"
200gr	TSX FB	30356	0.301	0.423	3.600"
200gr	LRX BT	30374	0.301	0.546	3.600"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 22	71.5	2645	78.5	2885
IMR 7828SSC	74.5	2682	82.5	2904
*H1000	78.0	2724	88.0	2923
Retumbo	78.0	2725	86.0	2950
H50BMG	86.5	2725	98.0c	2950
RL 25	79.0	2768	88.0	2981
RL 26	78.0	2730	86.6	3033
Magnum	90.0	2832	97.0	3051
US 869	99.0	2864	104.0	3051



300 Remington Ultra Magnum Load Data

Case: Remington

Case Trim Length: 2.840"

Primer: Fed 215

Barrel Make: Bartlein

Barrel Length: 24"

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
212gr	LRX Bore Rider BT	30376	0.319	0.705	4.225"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Magnum	85.6	2839	89.4	2952
IMR 8133	84.9	2841	89.4	2959
H1000	84.1	2862	88.9	3009
Retumbo	84.8	2854	90.2	3023
*RL 33	94.6	2835	100.6	3077
US 869	102.0	2905	107.3	3111