



### 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
110gr	TSX BT TAC-X	30341 30336	0.166	0.264	3.340
110gr	TTSX BT TAC-TX	30362 30358	0.166	0.295	3.340

  

<b>Powder</b>	<b>Minimum</b>		<b>Maximum</b>	
	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>
H4350	76.1	3439	84.5c	3807
Win 760	74.5	3461	82.8c	3823
2700	75.2	3485	83.6c	3831
RL 17	74.6	3483	82.9c	3904
Hunter	81.4	3590	90.4c	3911



### 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
130gr	TSX BT	30345	0.196	0.340	3.340
130gr	TTSX BT	30364	0.196	0.350	3.340
			<b>Minimum</b>	<b>Maximum</b>	
			<b>Charge</b>	<b>Velocity</b>	
			<b>(grains)</b>	<b>(fps)</b>	
			<b>Powder</b>	<b>Charge</b>	<b>Velocity</b>
				<b>(grains)</b>	<b>(fps)</b>
			Win 760	68.5	3170
			H4350	71.6	3162
			Hybrid 100v	69.6	3233
			A-4350	72.9	3197
			*RL 17	69.6	3194
				76.1	3500
				79.5c	3529
				77.4c	3572
				81.1c	3586
				77.3	3601



## 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
150gr	TSX BT TAC-X	30347 30337	0.226	0.369	3.340
150gr	TTSX BT	30366	0.226	0.420	3.340
150gr	MPG FB TAC-RRLP	30331 30313	0.226	0.357	3.340
155gr	Match Burner BT	30381	0.233	0.467	3.375

  

<b>Powder</b>	<b>Minimum</b>		<b>Maximum</b>	
	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>
Win 760	64.6	2972	71.1	3227
H4350	67.8	3003	73.7	3258
IMR 4831	70.5	3055	76.5	3277
H4831SC	75.6	3006	82.3c	3286
Hybrid 100v	66.8	3038	73.0c	3296
*IMR 4350	68.2	3019	75.0	3300
Hunter	71.8	3064	79.3c	3334
RL 19	73.9	3080	78.7c	3335
Supreme 780	74.6	3061	82.0c	3371
RL 17	66.6	3033	74.0	3379



## 300 Winchester Magnum Load Data

**Case:** Remington  
**Case Trim Length:** 2.610"  
**Primer:** Rem 9 1/2m

**Barrel Length:** 24"

**Twist Rate:** 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
165gr	TSX BT	30349	0.248	0.398	3.340
165gr	TTSX BT	30368	0.248	0.442	3.340
168gr	TSX BT	30351	0.253	0.404	3.360
	TAC-X BT	30338			
168gr	TTSX BT	30370	0.253	0.470	3.360
	TAC-TX BT	30359			

  

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H4831SC	71.9	2901	79.9c	3160
IMR 4350	65.1	2917	72.4	3165
Hybrid 100v	63.3	2879	70.3	3168
IMR 4831	67.3	2926	74.7	3192
Ppro 4000MR	67.1	2965	74.0c	3193
RL 22	68.5	2965	76.1c	3198
RL 19	67.6	2981	75.2c	3205
RL 17	64.4	2927	71.6	3213
Hunter	70.1	2948	77.9c	3221
RL 26	72.0	2915	81.0c	3229
*Magnum	78.0	2960	86.6c	3247
Supreme 780	75.2	3020	83.5c	3282



## 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
175gr	Match Burner BT	30383	0.264	0.521	3.375
175gr	LRX BT	30318	0.264	0.508	3.360
180gr	TSX BT	30353	0.271	0.453	3.340
180gr	TTSX BT	30372	0.271	0.484	3.340

  

<b>Powder</b>	<b>Minimum</b>		<b>Maximum</b>	
	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>
RL 19	61.3	2753	68.1	2970
H4831SC	67.0	2752	74.4	2984
*RL 22	62.0	2770	72.7c	2984
IMR 4831	62.9	2739	69.9	2986
Hybrid 100v	61.4	2754	68.3	2992
IMR 4350	62.4	2738	69.3	3003
Hunter	65.0	2759	72.3	3012
RL 17	60.9	2755	67.7	3023
PPro 4000MR	67.0	2859	72.0	3023
RL 26	72.5	2780	77.0c	3068
Magnum	74.1	2809	82.3C	3075
Supreme 780	70.2	2827	78.0C	3095



### 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
190gr	LRX BT	30377	0.286	0.541	3.360
200gr	TSX FB	30356	0.301	0.423	3.340
200gr	LRX BT	30374	0.301	0.546	3.360

  

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
N165	58.1	2480	64.5	2697
IMR 4831	59.3	2544	65.9	2773
RL 19	60.1	2573	66.8	2793
IMR 7828ssc	62.2	2540	69.1	2794
*RL 22	63.0	2553	70.0	2807
H4831SC	65.6	2572	72.9	2823
H1000	67.0	2605	74.4C	2829
PPro 4000MR	60.8	2606	67.6	2833
Hunter	62.8	2632	69.8	2841
Magnum	70.8	2636	78.7C	2879
Supreme 780	66.7	2643	74.1C	2896



## 300 Winchester Magnum Load Data

**Case:** Remington

**Barrel Length:** 24"

**Case Trim Length:** 2.610"

**Primer:** Rem 9 1/2m

**Twist Rate:** 1:8"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
212gr	LRX Bore Rider BT	30376	0.319	0.705	3.975"
		<b>Minimum Charge</b>	<b>Minimum Velocity</b>	<b>Maximum Charge</b>	<b>Maximum Velocity</b>
<b>Powder</b>	<b>(grains)</b>	<b>(fps)</b>	<b>(grains)</b>	<b>(fps)</b>	
IMR 7977	68.7	2564	73.8	2782	
IMR 8133	70.0	2628	76.1c	2796	
RL 23	64.4	2649	69.2	2816	
RL 22	67.1	2666	72.1	2856	
IMR 7828	69.6	2682	74.0	2874	
RL 26	68.9	2655	74.1	2894	
RL 25	70.4	2727	76.5	2896	
Magnum	74.4	2701	80.0	2898	
RL 33	82.8	2761	86.2c	2900	
H1000	72.9	2674	79.2c	2909	
*Retumbo	73.1	2667	79.5c	2918	