

Revised 7/2006



*The 130-grain TSX has a very short shank. We recommend lightly crimping the case mouth with a factory crimp-style die to increase neck tension.

*Powder charges of less than 100 percent density are recommended when loading 165-grain Banded Spitzers, because of the length of the bullets.

◆ Indicates most accurate load

.300 RSAUM

Bullet Weight: 130 gr **Case Trim Length:** 2.005" **S.D.** 0.196
Bullet Style: TSX BT **Primer:** Federal GM215M **B.C.** 0.340
COAL: 2.784" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Big Game	63.5	3221	67.0	3388	100
Win 760	65.0	3210	70.5	3455	98

Bullet Weight: 150 gr **Case Trim Length:** 2.005" **S.D.** 0.226
Bullet Style: TSX BT **Primer:** Federal GM215M **B.C.** 0.369
COAL: 2.825" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10

Bullet Weight: 150 gr **Case Trim Length:** 2.005" **S.D.** 0.226
Bullet Style: MRX BT **Primer:** Federal GM215M **B.C.** 0.420
COAL: 3.820" **Barrel Length:** 24"
Case: R-P **Twist Rate:** 1:10

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Varget	53.0	2881	58.5	3127	93
Win 760	62.0	2994	65.5	3194	94

.300 RSAUM

Bullet Weight: 165 gr **Case Trim Length:** 2.005" **S.D.** 0.248
Bullet Style: TSX BT **Primer:** Federal GM215M **B.C.** 0.380
COAL: 2.825" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Bullet Weight: 165 gr **Case Trim Length:** 2.005" **S.D.** 0.248
Bullet Style: MRX BT **Primer:** Federal GM215M **B.C.** 0.439
COAL: 3.820" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Bullet Weight: 165 gr **Case Trim Length:** 2.005" **S.D.** 0.248
Bullet Style: Banded Solid Spitzer **Primer:** Federal GM215M **B.C.** 0.438
COAL: 3.825" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Bullet Weight: 168 gr **Case Trim Length:** 2.005" **S.D.** 0.253
Bullet Style: TSX BT **Primer:** Federal GM215M **B.C.** 0.404
COAL: 2.825" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H4895	46.0	2614	51.5	2839	83
Big Game	55.0	2750	60.0	2948	93

Bullet Weight: 180 gr **Case Trim Length:** 2.005" **S.D.** 0.271
Bullet Style: MRX BT **Primer:** Federal GM215M **B.C.** 0.473
COAL: 2.825" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Bullet Weight: 180 gr **Case Trim Length:** 2.005" **S.D.** 0.271
Bullet Style: TSX BT **Primer:** Federal GM215M **B.C.** 0.453
COAL: 2.825" **Barrel Length:** 24" **Twist Rate:** 1:10
Case: R-P

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H414	54.5	2602	60.0	2853	89
IMR 4831	56.5	2621	61.5	2839	103

.300 RSAUM

Bullet Weight: 200 gr
Bullet Style: TSX FB
COAL: 2.825"
Case: R-P

Case Trim Length: 2.005"
Primer: Federal GM215M
Barrel Length: 24"
Twist Rate: 1:10

S.D. 0.301
B.C. 0.423

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ Hunter	55.0	2411	60.0	2656	95
IMR 7828SSC	54.5	2344	61.0	2620	98

Bullet Weight: 220 gr
Bullet Style: SRN
COAL: 2.721"
Case: R-P

Case Trim Length: 2.005"
Primer: Federal GM215M
Barrel Length: 24"
Twist Rate: 1:10

S.D. 0.331
B.C. 0.305

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
H414	55.5	2460	59.0	2598	94
♦ Hunter	57.0	2457	62.5	2650	102
