


# 222 Remington Magnum

Case: R-P	Primer: Fed 205
Case Trim: 1.840"	Barrel Length: 24"
Twist Rate: 1:14"	Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*\*Most Accurate Load*

<sup>°</sup> Compressed Load

## 222 Remington Magnum



36-grain Varmint Grenade FB  
Sectional Density .102  
Ballistic Coefficient .149  
C.O.A.L 2.280"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 10X	23.1	3405	25.6	3791
Win 748	28.1	3530	30.6	3738
2460	26.3	3552	28.8	3847
*H335	25.1	3453	27.6	3733
Tac	27.3	3476	29.8	3797
H4895	26.1	3426	28.6	3828



45-grain TSX FB  
Sectional Density .128  
Ballistic Coefficient .188  
C.O.A.L 2.280"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
RL 10X	22.7	3146	25.2	3498
H335	24.3	3189	26.8	3470
Tac	26.7	3263	29.2	3553
H4895	25.5	3176	28.0	3553
IMR 4895	25.5	3077	28.0	3467
*2520	29.5	3413	32.0	3580

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Most Accurate Load

° Compressed Load

## 222 Remington Magnum



50-grain TSX FB  
 Sectional Density .142  
 Ballistic Coefficient .197  
 C.O.A.L 2.280"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*RL 10X	21.5	2938	24.0	3234
H335	23.3	2989	25.8	3286
Tac	25.3	3102	27.8	3356
H4895	23.9	2931	26.4	3329
IMR 4895	23.9	2818	26.4	3225
2520	27.1	3089	29.6	3387

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Most Accurate Load

° Compressed Load