

6mm Creedmoor 95gr VOR-TX LR

6mm Creedmoor 95gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.436			G7 BC: 0.215						G1 BC: 0.436			G7 BC: 0.215					
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj.		Drift			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj.		Drift		
				MOA	MIL	inches	MOA	MIL					inches	MOA	MIL	inches	MOA
0	3150	2094	----	----	-----	----	-----	----	0	3150	2094	----	----	-----	----	-----	----
50	3036	1945	0.4	-0.7	-0.2	0.2	0.3	0.1	50	3052	1965	0.3	-0.6	-0.2	0.1	0.3	0.1
100	2925	1805	1.3	-1.2	-0.4	0.6	0.6	0.2	100	2956	1843	1.2	-1.2	-0.3	0.5	0.5	0.2
150	2817	1674	1.2	-0.8	-0.2	1.4	0.9	0.3	150	2862	1728	1.2	-0.7	-0.2	1.2	0.8	0.2
200	2711	1551	0.0	0.0	0.0	2.6	1.3	0.4	200	2770	1619	0.0	0.0	0.0	2.2	1.1	0.3
250	2608	1435	-2.4	0.9	0.3	4.2	1.6	0.5	250	2680	1515	-2.3	0.9	0.3	3.5	1.4	0.4
300	2507	1326	-6.0	1.9	0.6	6.1	2.0	0.6	300	2592	1417	-5.8	1.8	0.5	5.2	1.7	0.5
350	2408	1224	-11.1	3.0	0.9	8.5	2.3	0.7	350	2505	1324	-10.6	2.9	0.8	7.1	2.0	0.6
400	2312	1128	-17.6	4.2	1.2	11.3	2.7	0.8	400	2421	1236	-16.7	4.0	1.2	9.5	2.3	0.7
450	2218	1038	-25.8	5.5	1.6	14.6	3.1	0.9	450	2338	1153	-24.4	5.2	1.5	12.2	2.6	0.8
500	2126	953	-35.7	6.8	2.0	18.3	3.5	1.0	500	2256	1074	-33.6	6.4	1.9	15.3	2.9	0.9

6.5 Creedmoor 127gr VOR-TX LR

Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.468			G7 BC: 0.229			G1 BC: 0.468			G7 BC: 0.229			G1 BC: 0.468			G7 BC: 0.229		
Range	Velocity	Energy	Drop	Zero Adj.		Drift			Range	Velocity	Energy	Drop	Zero Adj.		Drift		
Yards	f/s	ft-lb	inches	MOA	MIL	inches	MOA	MIL	Yards	f/s	ft-lb	inches	MOA	MIL	inches	MOA	MIL
0	2825	2251	----	----	----	----	----	----	0	2825	2251	----	----	----	----	----	----
50	2726	2097	0.7	-1.4	-0.4	0.2	0.3	0.1	50	2740	2118	0.7	-1.3	-0.4	0.1	0.3	0.1
100	2630	1951	1.8	-1.7	-0.5	0.7	0.7	0.2	100	2657	1991	1.7	-1.6	-0.5	0.6	0.6	0.2
150	2535	1813	1.6	-1.0	-0.3	1.6	1.0	0.3	150	2575	1870	1.5	-1.0	-0.3	1.3	0.9	0.2
200	2443	1683	0.0	0.0	0.0	2.8	1.4	0.4	200	2495	1756	0.0	0.0	0.0	2.4	1.2	0.3
250	2352	1561	-3.0	1.2	0.3	4.5	1.7	0.5	250	2416	1647	-2.9	1.1	0.3	3.8	1.5	0.4
300	2263	1445	-7.6	2.4	0.7	6.6	2.1	0.6	300	2339	1543	-7.3	2.3	0.7	5.6	1.8	0.5
350	2177	1336	-13.9	3.8	1.1	9.1	2.5	0.7	350	2263	1444	-13.3	3.6	1.1	7.7	2.1	0.6
400	2092	1234	-22.0	5.3	1.5	12.1	2.9	0.8	400	2188	1351	-21.0	5.0	1.5	10.2	2.4	0.7
450	2009	1138	-32.1	6.8	2.0	15.7	3.3	1.0	450	2115	1262	-30.5	6.5	1.9	13.1	2.8	0.8
500	1928	1048	-44.4	8.5	2.5	19.8	3.8	1.1	500	2043	1177	-41.9	8.0	2.3	16.5	3.2	0.9
550	1849	964	-59.0	10.2	3.0	24.4	4.2	1.2	550	1973	1098	-55.4	9.6	2.8	20.3	3.5	1.0
600	1772	886	-76.1	12.1	3.5	29.7	4.7	1.4	600	1904	1022	-71.2	11.3	3.3	24.6	3.9	1.1

270 Winchester 129gr VOR-TX LR

270 Winchester 129gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.463			G7 BC: 0.229			G1 BC: 0.463			G7 BC: 0.229			G1 BC: 0.463			G7 BC: 0.229		
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL		
0	3140	2825	----	----	----	----	----	----	0	3140	2825	----	----	----	----	----	----
50	3033	2635	0.4	-0.7	-0.2	0.2	0.3	0.1	50	3047	2661	0.3	-0.6	-0.2	0.1	0.2	0.1
100	2928	2457	1.3	-1.2	-0.4	0.6	0.6	0.2	100	2957	2505	1.2	-1.2	-0.3	0.5	0.5	0.1
150	2826	2288	1.2	-0.8	-0.2	1.4	0.9	0.3	150	2868	2357	1.2	-0.7	-0.2	1.2	0.7	0.2
200	2726	2130	0.0	0.0	0.0	2.5	1.2	0.3	200	2781	2217	0.0	0.0	0.0	2.1	1.0	0.3
250	2629	1980	-2.4	0.9	0.3	3.9	1.5	0.4	250	2696	2083	-2.3	0.9	0.3	3.3	1.3	0.4
300	2533	1839	-6.0	1.9	0.6	5.8	1.8	0.5	300	2613	1956	-5.7	1.8	0.5	4.9	1.6	0.5
350	2440	1706	-10.9	3.0	0.9	8.0	2.2	0.6	350	2531	1835	-10.5	2.9	0.8	6.7	1.8	0.5
400	2348	1580	-17.4	4.1	1.2	10.6	2.5	0.7	400	2451	1721	-16.6	4.0	1.2	8.9	2.1	0.6
450	2259	1462	-25.4	5.4	1.6	13.6	2.9	0.8	450	2372	1612	-24.1	5.1	1.5	11.5	2.4	0.7
500	2171	1351	-35.1	6.7	1.9	17.2	3.3	1.0	500	2294	1508	-33.2	6.3	1.8	14.4	2.7	0.8
550	2085	1246	-46.6	8.1	2.4	21.2	3.7	1.1	550	2218	1410	-43.9	7.6	2.2	17.7	3.1	0.9
600	2002	1148	-60.2	9.6	2.8	25.7	4.1	1.2	600	2144	1317	-56.5	9.0	2.6	21.4	3.4	1.0
650	1920	1056	-75.9	11.1	3.2	30.7	4.5	1.3	650	2070	1228	-70.9	10.4	3.0	-25.5	-3.7	-1.1
700	1840	970	-94.0	12.8	3.7	36.4	5.0	1.4	700	1999	1144	-87.3	11.9	3.5	30.1	4.1	1.2

7mm Rem Mag 139gr VOR-TX LR

7mm Rem Mag 139gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.470			G7 BC: 0.227			G1 BC: 0.470			G7 BC: 0.227								
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL		
0	3210	3181	----	----	----	----	----	----	0	3210	3181	----	----	----	----	----	----
50	3103	2972	0.3	-0.6	-0.2	0.1	0.3	0.1	50	3117	3000	0.3	-0.5	-0.2	0.1	0.2	0.1
100	2998	2775	1.2	-1.1	-0.3	0.6	0.5	0.2	100	3027	2828	1.2	-1.1	-0.3	0.5	0.5	0.1
150	2896	2589	1.1	-0.7	-0.2	1.3	0.8	0.2	150	2938	2665	1.1	-0.7	-0.2	1.1	0.7	0.2
200	2796	2413	0.0	0.0	0.0	2.4	1.1	0.3	200	2851	2510	0.0	0.0	0.0	2.0	1.0	0.3
250	2698	2248	-2.2	0.8	0.2	3.8	1.4	0.4	250	2766	2362	-2.2	0.8	0.2	3.2	1.2	0.4
300	2603	2091	-5.6	1.8	0.5	5.5	1.7	0.5	300	2683	2222	-5.4	1.7	0.5	4.7	1.5	0.4
350	2509	1944	-10.3	2.8	0.8	7.6	2.1	0.6	350	2601	2088	-9.9	2.7	0.8	6.4	1.8	0.5
400	2418	1804	-16.4	3.9	1.1	10.1	2.4	0.7	400	2520	1961	-15.7	3.7	1.1	8.5	2.0	0.6
450	2328	1673	-24.0	5.1	1.5	13.0	2.8	0.8	450	2442	1840	-22.8	4.8	1.4	10.9	2.3	0.7
500	2240	1549	-33.2	6.3	1.8	16.3	3.1	0.9	500	2364	1725	-31.4	6.0	1.7	13.7	2.6	0.8
550	2154	1432	-44.1	7.7	2.2	20.1	3.5	1.0	550	2288	1616	-41.6	7.2	2.1	16.8	2.9	0.9
600	2070	1323	-56.8	9.0	2.6	24.4	3.9	1.1	600	2213	1512	-53.4	8.5	2.5	20.3	3.2	0.9
650	1988	1220	-71.7	10.5	3.1	29.2	4.3	1.2	650	2140	1414	-67.0	9.8	2.9	24.2	3.6	1.0
700	1908	1124	-88.7	12.1	3.5	34.5	4.7	1.4	700	2068	1320	-82.5	11.3	3.3	28.6	3.9	1.1

7mm Rem Ultra Mag 145gr VOR-TX LR

7mm Rem Ultra Mag 145gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clock			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clock		
G1 BC: 0.486			G7 BC: 0.239						G1 BC: 0.486			G7 BC: 0.239					
Range Yards	Velocity		Drop inches	Zero Adj.		Drift			Range Yards	Velocity		Drop inches	Zero Adj.		Drift		
	f/s	ft-lb		MOA	MIL	inches	MOA	MIL		f/s	ft-lb		MOA	MIL	inches	MOA	MIL
0	3350	3613	----	----	----	----	----	----	0	3350	3613	----	----	----	----	----	----
50	3243	3386	0.2	-0.3	-0.1	0.1	0.2	0.1	50	3257	3415	0.2	-0.3	-0.1	0.1	0.2	0.1
100	3138	3170	1.0	-1.0	-0.3	0.5	0.5	0.1	100	3167	3229	1.0	-0.9	-0.3	0.5	0.4	0.1
150	3036	2967	1.0	-0.6	-0.2	1.2	0.8	0.2	150	3078	3050	1.0	-0.6	-0.2	1.0	0.7	0.2
200	2936	2775	0.0	0.0	0.0	2.2	1.0	0.3	200	2991	2880	0.0	0.0	0.0	1.9	0.9	0.3
250	2839	2595	-2.0	0.8	0.2	3.4	1.3	0.4	250	2906	2719	-1.9	0.7	0.2	2.9	1.1	0.3
300	2743	2422	-5.1	1.6	0.5	5.0	1.6	0.5	300	2823	2566	-4.9	1.6	0.5	4.3	1.4	0.4
350	2650	2261	-9.3	2.5	0.7	6.9	1.9	0.5	350	2741	2419	-8.9	2.4	0.7	5.9	1.6	0.5
400	2558	2107	-14.7	3.5	1.0	9.2	2.2	0.6	400	2661	2280	-14.1	3.4	1.0	7.8	1.9	0.5
450	2469	1963	-21.5	4.6	1.3	11.8	2.5	0.7	450	2582	2146	-20.5	4.4	1.3	10.0	2.1	0.6
500	2381	1825	-29.7	5.7	1.7	14.8	2.8	0.8	500	2504	2019	-28.3	5.4	1.6	12.5	2.4	0.7
550	2295	1696	-39.5	6.9	2.0	18.2	3.2	0.9	550	2428	1898	-37.4	6.5	1.9	15.3	2.7	0.8
600	2211	1574	-50.9	8.1	2.4	22.1	3.5	1.0	600	2354	1784	-48.0	7.6	2.2	18.5	2.9	0.9
650	2128	1458	-64.1	9.4	2.7	26.4	3.9	1.1	650	2280	1674	-60.1	8.8	2.6	22.0	3.2	0.9
700	2047	1349	-79.2	10.8	3.1	31.1	4.2	1.2	700	2208	1570	-74.0	10.1	2.9	25.9	3.5	1.0

300 Win Mag 190gr VOR-TX LR

300 Win Mag 190gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.499			G7 BC: 0.259			G1 BC: 0.499			G7 BC: 0.259			G1 BC: 0.499			G7 BC: 0.259		
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL		
0	2880	3500	----	----	----	----	----	----	0	2880	3500	----	----	----	----	----	----
50	2786	3276	0.6	-1.2	-0.4	0.2	0.3	0.1	50	2799	3307	0.6	-1.2	-0.3	0.1	0.2	0.1
100	2694	3064	1.7	-1.6	-0.5	0.6	0.6	0.2	100	2720	3122	1.6	-1.5	-0.4	0.5	0.5	0.1
150	2604	2862	1.5	-0.9	-0.3	1.4	0.9	0.3	150	2642	2946	1.4	-0.9	-0.3	1.2	0.8	0.2
200	2516	2672	0.0	0.0	0.0	2.6	1.2	0.4	200	2566	2778	0.0	0.0	0.0	2.2	1.0	0.3
250	2430	2491	-2.8	1.1	0.3	4.1	1.6	0.5	250	2491	2618	-2.7	1.0	0.3	3.5	1.3	0.4
300	2345	2321	-7.2	2.3	0.7	6.0	1.9	0.6	300	2417	2465	-6.9	2.2	0.6	5.1	1.6	0.5
350	2262	2159	-13.0	3.6	1.0	8.3	2.3	0.7	350	2344	2319	-12.5	3.4	1.0	7.0	1.9	0.6
400	2180	2006	-20.6	4.9	1.4	11.0	2.6	0.8	400	2273	2180	-19.7	4.7	1.4	9.3	2.2	0.6
450	2101	1862	-30.0	6.4	1.9	14.2	3.0	0.9	450	2203	2047	-28.6	6.1	1.8	11.9	2.5	0.7
500	2022	1726	-41.4	7.9	2.3	17.8	3.4	1.0	500	2134	1921	-39.3	7.5	2.2	14.9	2.8	0.8
550	1946	1598	-54.9	9.5	2.8	21.9	3.8	1.1	550	2066	1801	-51.9	9.0	2.6	18.3	3.2	0.9
600	1872	1478	-70.7	11.3	3.3	26.6	4.2	1.2	600	1999	1687	-66.5	10.6	3.1	22.1	3.5	1.0
650	1799	1366	-89.0	13.1	3.8	31.8	4.7	1.4	650	1934	1579	-83.4	12.2	3.6	26.4	3.9	1.1
700	1728	1261	-110.0	15.0	4.4	37.6	5.1	1.5	700	1870	1476	-102.5	14.0	4.1	31.1	4.2	1.2

300 Rem Ultra Mag 190gr VOR-TX LR

300 Rem Ultra Mag 190gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.540			G7 BC: 0.266						G1 BC: 0.540			G7 BC: 0.266					
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj. MOA MIL		Drift inches MOA MIL		
0	3125	4121	----	----	----	----	----	----	0	3125	4121	----	----	----	----	----	----
50	3033	3883	0.4	-0.7	-0.2	0.1	0.2	0.1	50	3046	3915	0.3	-0.6	-0.2	0.1	0.2	0.1
100	2943	3656	1.3	-1.2	-0.4	0.5	0.5	0.1	100	2968	3718	1.2	-1.2	-0.3	0.4	0.4	0.1
150	2855	3441	1.2	-0.7	-0.2	1.2	0.7	0.2	150	2892	3530	1.1	-0.7	-0.2	1.0	0.6	0.2
200	2769	3236	0.0	0.0	0.0	2.1	1.0	0.3	200	2817	3349	0.0	0.0	0.0	1.8	0.9	0.3
250	2685	3041	-2.3	0.9	0.3	3.4	1.3	0.4	250	2744	3176	-2.2	0.9	0.2	2.9	1.1	0.3
300	2602	2856	-5.8	1.8	0.5	4.9	1.6	0.5	300	2671	3011	-5.6	1.8	0.5	4.2	1.3	0.4
350	2520	2680	-10.6	2.9	0.8	6.8	1.8	0.5	350	2600	2853	-10.2	2.8	0.8	5.7	1.6	0.5
400	2440	2513	-16.7	4.0	1.2	9.0	2.1	0.6	400	2530	2701	-16.1	3.8	1.1	7.6	1.8	0.5
450	2361	2353	-24.4	5.2	1.5	11.5	2.4	0.7	450	2461	2556	-23.3	5.0	1.4	9.7	2.1	0.6
500	2284	2202	-33.5	6.4	1.9	14.4	2.8	0.8	500	2393	2417	-32.0	6.1	1.8	12.1	2.3	0.7
550	2209	2058	-44.4	7.7	2.2	17.7	3.1	0.9	550	2327	2284	-42.2	7.3	2.1	14.9	2.6	0.8
600	2134	1922	-57.0	9.1	2.6	21.4	3.4	1.0	600	2261	2157	-54.0	8.6	2.5	17.9	2.9	0.8
650	2061	1793	-71.5	10.5	3.1	25.6	3.8	1.1	650	2196	2035	-67.5	9.9	2.9	21.3	3.1	0.9
700	1990	1671	-88.1	12.0	3.5	30.2	4.1	1.2	700	2133	1919	-82.8	11.3	3.3	25.1	3.4	1.0

338 Rem Ultra Mag 250gr VOR-TX LR

338 Rem Ultra Mag 250gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.602			G7 BC: 0.294			G1 BC: 0.602			G7 BC: 0.294								
Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj.		Drift			Range Yards	Velocity f/s	Energy ft-lb	Drop inches	Zero Adj.		Drift		
				MOA	MIL	inches	MOA	MIL					MOA	MIL	inches	MOA	MIL
0	2910	4702	----	----	----	----	----	----	0	2910	4702	----	----	----	----	----	----
50	2832	4452	0.6	-1.1	-0.3	0.1	0.2	0.1	50	2843	4486	0.5	-1.0	-0.3	0.1	0.2	0.1
100	2755	4213	1.5	-1.5	-0.4	-0.5	-0.5	-0.1	100	2776	4279	1.5	-1.4	-0.4	0.4	0.4	0.1
150	2679	3985	1.4	-0.9	-0.3	1.2	0.7	0.2	150	2711	4080	1.3	-0.9	-0.2	1.0	0.6	0.2
200	2604	3766	0.0	0.0	0.0	2.1	1.0	0.3	200	2646	3888	0.0	0.0	0.0	1.8	0.8	0.2
250	2531	3558	-2.7	1.0	0.3	3.3	1.3	0.4	250	2583	3704	-2.6	1.0	0.3	2.8	1.1	0.3
300	2459	3358	-6.7	2.1	0.6	4.8	1.5	0.4	300	2520	3526	-6.5	2.1	0.6	4.1	1.3	0.4
350	2388	3167	-12.1	3.3	1.0	6.6	1.8	0.5	350	2458	3356	-11.7	3.2	0.9	5.6	1.5	0.4
400	2319	2985	-19.1	4.6	1.3	8.8	2.1	0.6	400	2397	3192	-18.4	4.4	1.3	7.4	1.8	0.5
450	2250	2811	-27.7	5.9	1.7	11.3	2.4	0.7	450	2337	3034	-26.6	5.7	1.6	9.5	2.0	0.6
500	2183	2645	-38.0	7.3	2.1	14.1	2.7	0.8	500	2278	2882	-36.4	7.0	2.0	11.9	2.3	0.7
550	2116	2487	-50.1	8.7	2.5	17.3	3.0	0.9	550	2220	2737	-47.9	8.3	2.4	14.5	2.5	0.7
600	2051	2336	-64.2	10.2	3.0	20.9	3.3	1.0	600	2163	2597	-61.1	9.7	2.8	17.5	2.8	0.8
650	1987	2193	-80.3	11.8	3.4	24.9	3.7	1.1	650	2106	2462	-76.2	11.2	3.3	20.8	3.1	0.9
700	1924	2056	-98.7	13.5	3.9	29.3	4.0	1.2	700	2050	2334	-93.3	12.7	3.7	24.4	3.3	1.0

375 Rem Ultra Mag 270gr VOR-TX LR

375 Rem Ultra Mag 270gr VOR-TX LR																	
Altitude: 0 feet			Zero Range: 200 yards			Wind Speed: 10 mph			Altitude: 5000 feet			Zero Range: 200 yards			Wind Speed: 10 mph		
Temp: 59 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk			Temp: 40 °F			Sight Height: 1.5 in			Wind Dir: 03:00 O'clk		
G1 BC: 0.449			G7 BC: 0.224						G1 BC: 0.449			G7 BC: 0.224					
Range Yards	Velocity		Drop inches	Zero Adj.		Drift			Range Yards	Velocity		Drop inches	Zero Adj.		Drift		
	f/s	ft-lb		MOA	MIL	inches	MOA	MIL		f/s	ft-lb		MOA	MIL	inches	MOA	MIL
0	2980	5325	----	----	----	----	----	----	0	2980	5325	----	----	----	----	----	----
50	2874	4952	0.5	-1.0	-0.3	0.2	0.3	0.1	50	2888	5003	0.5	-1.0	-0.3	0.1	0.3	0.1
100	2770	4600	1.5	-1.5	-0.4	0.7	0.6	0.2	100	2798	4696	1.5	-1.4	-0.4	0.6	0.5	0.2
150	2668	4269	1.4	-0.9	-0.3	1.5	1.0	0.3	150	2710	4406	1.3	-0.8	-0.2	1.3	0.8	0.2
200	2569	3957	0.0	0.0	0.0	2.7	1.3	0.4	200	2624	4130	0.0	0.0	0.0	2.3	1.1	0.3
250	2472	3663	-2.7	1.0	0.3	4.3	1.7	0.5	250	2540	3868	-2.6	1.0	0.3	3.7	1.4	0.4
300	2377	3387	-6.8	2.2	0.6	6.4	2.0	0.6	300	2457	3620	-6.5	2.1	0.6	5.4	1.7	0.5
350	2284	3127	-12.5	3.4	1.0	8.9	2.4	0.7	350	2375	3384	-11.9	3.2	0.9	7.5	2.0	0.6
400	2193	2883	-19.8	4.7	1.4	11.8	2.8	0.8	400	2296	3160	-18.8	4.5	1.3	9.9	2.4	0.7
450	2104	2654	-28.9	6.1	1.8	15.2	3.2	0.9	450	2217	2948	-27.4	5.8	1.7	12.8	2.7	0.8
500	2017	2440	-40.0	7.6	2.2	19.2	3.7	1.1	500	2140	2747	-37.7	7.2	2.1	16.0	3.1	0.9