



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
62gr	Varmint Grenade	30214 30217	0.150	0.199	2.645"
		Minimum	Maximum		
		Charge	Velocity	Charge	Velocity
		(grains)	(fps)	(grains)	(fps)
Powder					
H380		42.7	3470	47.5c	3723
Win 760		42.1	3453	46.8c	3733
H414		42.1	3453	46.8c	3733
*Pp 2000MR		40.7	3478	45.2	3745
RL 17		41.4	3438	46.1c	3753
Big Game		42.6	3445	47.4c	3770
Hybrid 100V		42.0	3501	46.7c	3793



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
68gr	Match Burner BT	30205	0.165	0.267	2.640"
		Minimum	Maximum		
		Charge	Velocity	Charge	Velocity
		(grains)	(fps)	(grains)	(fps)
		Powder			
		H380	41.8	3317	46.4 3612
		PP 2000MR	40.4	3321	44.8 3627
		Win 760	43.0	3341	47.8 3643
		H414	43.0	3341	47.8 3643
		Big Game	41.6	3380	46.2 3651
		*RL 17	42.9	3341	47.7 3724



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
72gr	VARMIN-A-TOR	30210	0.174	0.208	2.540"
	Minimum Charge	Velocity	Maximum Charge	Velocity	
	(grains)	(fps)	(grains)	(fps)	
Powder					
Win 760	41.5	3232	46.1	3527	
H414	41.5	3232	46.1	3527	
PP 4000MR	43.3	3266	48.1c	3586	
Hybrid 100V	42.2	3282	46.9c	3592	
*RL 17	41.0	3226	45.6	3597	
Hunter	44.7	3305	49.7c	3612	
Superformance	46.7	3366	51.9c	3674	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
80gr	TTSX BT	30208	0.194	0.331	2.610"
			Minimum	Maximum	
			Charge	Velocity	
			(grains)	(fps)	
			Powder	(grains)	(fps)
			Supreme 780	44.7	3015
			Hybrid 100V	40.0	3104
			RL 17	38.9	3149
			PP 4000MR	41.2	3094
			Hunter	43.6	3141
			*Superformance	43.8	3154
				49.7c	3344
				44.4c	3389
				43.3	3392
				45.8c	3392
				48.5c	3405
				48.6c	3451



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
85gr	TSX BT	30212	0.206	0.333	2.645"
			Minimum	Maximum	
			Charge	Velocity	
			(grains)	(fps)	
			Powder	Charge	Velocity
			(grains)	(grains)	(fps)
			Hybrid 100V	38.5	2966
			Supreme 780	43.7	2999
			Hunter	41.3	3018
			PP 400MR	39.9	3024
			RL 17	38.3	2998
			*Superformance	41.2	3069



243 Winchester Load Data

Case: Remington
Case Trim Length: 2.035"
Primer: Rem 9 1/2

Barrel Length: 24"

Twist Rate: 1:9"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
105gr	Match Burner BT	30206 31120	0.254	0.511	2.710"
		Minimum		Maximum	
		Charge	Velocity	Charge	Velocity
		(grains)	(fps)	(grains)	(fps)
Powder					
H4350	38.0	2752	42.2	2995	
Hybrid 100V	38.0	2705	42.2	3062	
IMR 4350	38.9	2725	43.2	3067	
*Supreme 780	43.2	2743	48.0c	3076	
Hunter	41.9	2832	46.5c	3085	
Superformance	42.2	2844	46.8c	3089	
RL 19	41.6	2757	46.2c	3095	
RL 17	38.2	2777	42.5	3104	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
112gr	Match Burner BT	30864 31122	0.271	0.624	2.850"
	Minimum	Maximum			
	Charge	Velocity	Charge	Velocity	
	(grains)	(fps)	(grains)	(fps)	
Powder					
IMR 4350	35.4	2538	39.3	2816	
H4350	35.7	2622	39.7	2881	
RL 16	35.6	2635	39.5	2896	
Hybrid 100V	35.7	2603	39.7	2898	
H4831sc	39.7	2618	44.1c	2900	
RL 17	35.2	2634	39.1	2902	
Hunter	38.1	2680	42.3	2925	
StaBall 6.5	37.5	2629	41.7	2929	
Superformance	39.2	2636	43.6	2943	
*PP 4000MR	37.8	2638	42.0	2955	