



300 PRC Load Data

Case: Atlas

Barrel Length: 26"

Case Trim Length: 2.570"

Primer: Fed 215

Twist Rate: 1:8.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
175gr	Match Burner	30385	0.264	0.521	3.500"
175gr	LRX BT	30318	0.264	0.508	3.525"
180gr	TSX BT	30353	0.271	0.453	3.450"
180gr	TTSX BT	30372	0.271	0.484	3.535"
		Minimum Charge	Velocity	Maximum Charge	Velocity
Powder		(grains)	(fps)	(grains)	(fps)
RL 23		66.5	2800	73.9	3085
H4831		70.1	2824	77.9	3096
IMR 7828SSC		70.6	2793	78.4	3100
PowerPro 4000MR		66.8	2800	74.2	3105
H1000		75.2	2863	83.6c	3135
RL 26		70.6	2860	78.5	3160



300 PRC Load Data

Case: Atlas

Barrel Length: 26"

Case Trim Length: 2.570"

Primer: Fed 215

Twist Rate: 1:8.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
190gr	LRX BT	30377	0.286	0.541	3.540"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
PowerPro 4000MR	65.7	2709	73.0	3017
IMR 7828SSC	69.4	2699	77.1	3020
*RL 26	69.5	2760	77.3	3067
H1000	75.0	2809	83.3c	3079
Magpro	77.2	2815	85.8c	3086
Retumbo	74.4	2822	82.7c	3095
Magnum	79.2	2831	88.0c	3124



300 PRC Load Data

Case: Atlas

Barrel Length: 26"

Case Trim Length: 2.570"

Primer: Fed 215

Twist Rate: 1:8.5"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
---------------	-------------	------------	------------	---------------	-----------------

200gr	TSX FB	30356	0.301	0.423	3.470"
-------	--------	-------	-------	-------	--------

200gr	LRX BT	30374	0.301	0.546	3.500"
-------	--------	-------	-------	-------	--------

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
PowerPro 4000MR	62.0	2574	68.9	2836
IMR 8133	70.1	2626	77.8c	2882
*H1000	69.4	2644	77.1	2891
RL 26	66.0	2697	73.3	2916
Retumbo	70.0	2695	77.8c	2933
Magnum	76.1	2712	84.5c	2991
Magpro	76.5	2738	85.0c	3013



300 PRC Load Data

Case: Atlas
Case Trim Length: 2.570"
Primer: Fed 215

Barrel Length: 26"

Twist Rate: 1:8.5"

	Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
	208gr	LRX BT	30311	0.313	0.633	3.691"
		Minimum		Maximum		
	Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
PowerPro	4000MR	62.0	2548	68.9	2811	
	IMR 8133	68.5	2589	76.1c	2818	
	Retumbo	69.9	2630	77.7c	2901	
	H1000	70.9	2664	78.8c	2906	
	*RL 26	67.3	2626	74.8	2922	
	Magpro	72.9	2694	81.0	2924	
	Magnum	74.5	2677	82.7c	2944	



300 PRC Load Data

Case: Atlas

Barrel Length: 26"

Case Trim Length: 2.570"

Primer: Fed 215

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
212gr	LRX Bore Rider BT	30376	0.319	0.705	3.960"
		Minimum		Maximum	
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
PowerPro 4000MR	64.8	2619	72.0	2899	
IMR 8133	73.5	2574	81.6c	2932	
Magpro	73.0	2706	81.1	2945	
*RL 26	69.4	2639	77.1	2952	
H1000	73.7	2673	81.9	2965	
Retumbo	72.8	2635	80.9	2967	
Magnum	75.8	2676	84.2	2979	