



### 35 Whelen Load Data

Case: R-P

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Large Rifle

Twist Rate: 1:16"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
180gr	TTSX BT	30459	0.201	0.295	3.231"
			<b>Minimum</b>	<b>Maximum</b>	
			<b>Charge</b>	<b>Charge</b>	
			<b>(grains)</b>	<b>(grains)</b>	
			<b>Velocity</b>	<b>Velocity</b>	
			<b>(fps)</b>	<b>(fps)</b>	
<b>Powder</b>					
N-130	45.5	2565	50.5	2850	
H4198	45.7	2581	50.8	2868	
N-133	49.5	2589	55.0	2877	
Norma 200	46.4	2597	51.5	2886	
RL 10x	47.7	2630	53.0	2922	
LT-32	50.4	2640	56.0	2933	
Benchmark	51.8	2642	57.5	2935	
A-2230	53.1	2644	59.0	2938	
*H332	51.3	2657	57.0	2952	
PowerPro 1200-r	49.1	2665	54.5	2961	
A-2200	52.8	2669	58.7	2966	
8208 XBR	54.0	2671	60.0c	2968	
H335	57.6	2689	64.0	2988	
A-2460	54.0	2700	60.0	3000	



### 35 Whelen Load Data

**Case:** R-P  
**Case Trim Length:** 2.484"  
**Primer:** Large Rifle

**Barrel Length:** 24"

**Twist Rate:** 1:16"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
200gr	TSX FB	30455	0.223	0.284	3.100"
200gr	TTSX BT	30461	0.223	0.369	3.231"

<b>Powder</b>	<b>Minimum</b>		<b>Maximum</b>	
	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>
N-140	52.0	2591	56.0	2692
H4895	52.0	2595	56.0	2749
A-2200	45.0	2480	50.0	2755
8208 XBR	50.4	2487	56.0c	2763
IMR 4895	54.0	2629	58.0	2765
*RL 15	52.5	2593	57.5	2775
Win 748	57.0	2678	61.0	2804
IMR 4064	55.0	2647	60.0c	2822

