



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
58gr	VMTR FB	30207	0.140	0.173	2.540"

Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 760	43.5	3483	48.3	3834
RL 15	41.1	3501	45.7	3844
Varget	40.0	3557	44.4	3866
Power Pro 2000MR	42.7	3489	47.4	3880
Big Game	44.6	3602	49.5c	3898
H380	45.5	3594	50.6c	3908



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
62gr	VG FB	30214 30217 _(250pk)	0.150	0.199	2.645"
		Minimum	Maximum		
		Charge	Velocity	Charge	Velocity
		(grains)	(fps)	(grains)	(fps)
		Powder			
		H380	42.7	3470	47.5c 3723
		Win 760	42.1	3453	46.8c 3733
		Power Pro 2000MR	40.7	3478	45.2 3745
		RL 17	41.4	3438	46.1c 3753
		Big Game	42.6	3445	47.4c 3770
		Hybrid 100V	42.0	3501	46.7c 3793



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
68gr	Match Burner BT	30205	0.165	0.267	2.640"
Minimum			Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H380	41.8	3317	46.4	3612	
Power Pro 2000MR	40.4	3321	44.8	3627	
Win 760	43.0	3341	47.8	3643	
Big Game	41.6	3380	46.2	3651	
RL 17	42.9	3341	47.7	3724	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
72gr	VMTR FB	30210	0.174	0.208	2.540"
		Minimum		Maximum	
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
Win 760	41.5	3232	46.1	3527	
Power Pro 4000MR	43.3	3266	48.1c	3586	
Hybrid 100V	42.2	3282	46.9c	3592	
RL 17	41.0	3226	45.6	3597	
Hunter	44.7	3305	49.7c	3612	
Superformance	46.7	3366	51.9c	3674	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
80gr	TTSX BT	30208	0.194	0.331	2.610"
			Minimum	Maximum	
			Charge	Velocity	
			(grains)	(fps)	
			Powder		
			(grains)	(fps)	
			Supreme 780	44.7	3015
			49.7c	3344	
			Hybrid 100V	40.0	3104
			44.4c	3389	
			RL 17	38.9	3149
			43.3	3392	
			Power Pro 4000MR	41.2	3094
			45.8c	3392	
			Hunter	43.6	3141
			48.5c	3405	
			Superformance	43.8	3154
			48.6c	3451	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
85gr	TSX BT	30212	0.206	0.333	2.645"
			Minimum	Maximum	
			Charge	Velocity	
			(grains)	(fps)	
			Powder		
			(grains)	(fps)	
			Hybrid 100V	38.5	2966
			42.8	3265	
			Supreme 780	43.7	2999
			48.5c	3269	
			Hunter	41.3	3018
			45.8	3297	
			Power Pro 4000MR	39.9	3024
			44.3	3301	
			RL 17	38.3	2998
			42.6	3304	
			Superformance	41.2	3069
			45.8	3305	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
95gr	LRX BT	30862	0.230	0.436	2.760"

	Minimum		Maximum	
	Charge	Velocity	Charge	Velocity
Powder	(grains)	(fps)	(grains)	(fps)
H4831sc	39.1	2772	43.4c	2981
Win 760	36.8	2800	40.9	2988
RL 16	35.4	2790	39.3	3015
RL 17	34.9	2812	38.8	3034
Hybrid 100V	36.2	2742	40.3	3041
Power Pro 4000MR	38.3	2723	42.6c	3050
Hunter	39.3	2804	43.6c	3080
StaBall 6.5	38.5	2801	42.7	3092
Superformance	39.6	2832	44.0	3116



243 Winchester Load Data

Case: Remington
Case Trim Length: 2.035"
Primer: Rem 9 1/2

Barrel Length: 24"

Twist Rate: 1:9"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
105gr	Match Burner BT	30206 31120 _(500pk)	0.254	0.511	2.710"
		Minimum		Maximum	
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4350	38.0	2752	42.2	2995	
Hybrid 100V	38.0	2705	42.2	3062	
IMR 4350	38.9	2725	43.2	3067	
Supreme 780	43.2	2743	48.0c	3076	
Hunter	41.9	2832	46.5c	3085	
Superformance	42.2	2844	46.8c	3089	
RL 19	41.6	2757	46.2c	3095	
RL 17	38.2	2777	42.5	3104	



243 Winchester Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.035"

Primer: Rem 9 1/2

Twist Rate: 1:8"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
112gr	Match Burner BT	30864 31122 _(500pk)	0.271	0.624	2.850"
		Minimum	Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
IMR 4350	35.4	2538	39.3	2816	
H4350	35.7	2622	39.7	2881	
RL 16	35.6	2635	39.5	2896	
Hybrid 100V	35.7	2603	39.7	2898	
H4831sc	39.7	2618	44.1c	2900	
RL 17	35.2	2634	39.1	2902	
Hunter	38.1	2680	42.3	2925	
StaBall 6.5	37.5	2629	41.7	2929	
Superformance	39.2	2636	43.6	2943	
Power Pro 4000MR	37.8	2638	42.0	2955	