



## 35 Whelen Load Data

Case: R-P

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Large Rifle

Twist Rate: 1:16"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
180gr	TTSX BT	30459	0.201	0.295	3.231"
		Minimum Charge	Velocity	Maximum Charge	Velocity
Powder	(grains)	(fps)	(grains)	(fps)	
N-130	45.5	2565	50.5	2850	
H4198	45.7	2581	50.8	2868	
N-133	49.5	2589	55.0	2877	
Norma 200	46.4	2597	51.5	2886	
RL 10x	47.7	2630	53.0	2922	
LT-32	50.4	2640	56.0	2933	
Benchmark	51.8	2642	57.5	2935	
A-2230	53.1	2644	59.0	2938	
H332	51.3	2657	57.0	2952	
Power Pro 1200-r	49.1	2665	54.5	2961	
A-2200	52.8	2669	58.7	2966	
8208 XBR	54.0	2671	60.0c	2968	
H335	57.6	2689	64.0	2988	
A-2460	54.0	2700	60.0	3000	



### 35 Whelen Load Data

Case: R-P

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Large Rifle

Twist Rate: 1:16"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
200gr	TSX FB	30455	0.223	0.284	3.100"
200gr	TTSX BT	30461	0.223	0.369	3.231"
Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
N-140	52.0	2591	56.0	2692	
H4895	52.0	2595	56.0	2749	
A-2200	45.0	2480	50.0	2755	
8208 XBR	50.4	2487	56.0c	2763	
IMR 4895	54.0	2629	58.0	2765	
RL 15	52.5	2593	57.5	2775	
Win 748	57.0	2678	61.0	2804	
IMR 4064	55.0	2647	60.0c	2822	



### 35 Whelen Load Data

**Case:** R-P

**Barrel Length:** 24"

**Case Trim Length:** 2.484"

**Primer:** Large Rifle

**Twist Rate:** 1:16"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
225gr	TSX FB	30457	0.251	0.359	3.340
		<b>Minimum</b>		<b>Maximum</b>	
<b>Powder</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	
IMR 4895	51.0	2400	55.0	2588	
A-2460	50.5	2441	54.5	2609	
Win 748	56.5	2479	60.5	2612	
H4895	51.0	2445	54.5	2613	
A 4064	55.0	2417	60.0c	2618	
IMR 4064	55.0	2534	59.0c	2701	