

# 220 Swift

Case: R-P


Primer: Fed GM210M

Case Trim: 2.195"

Barrel Length: 24"

Twist Rate: 1:14"

Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*\*Most Accurate Load*

<sup>°</sup> Compressed Load

## 220 Swift



36-grain Varmint Grenade FB  
 Sectional Density .102  
 Ballistic Coefficient .149  
 C.O.A.L 2.635"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Varget	39.0	4137	42.0	4391
IMR 4320	38.5	4001	41.5	4287
Viht N140	37.5	4095	40.5	4356
*A-2700	44.0	4164	47.0	4414
RL 15	37.5	4015	41.0	4366
Win 760	43.5	4122	46.5	4424



45-grain TSX FB  
 Sectional Density .128  
 Ballistic Coefficient .188  
 C.O.A.L 2.650"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
A-2700	42.5	3882	45.5	4110
Big Game	41.5	3873	44.5	4091
RL 15	37.5	3824	40.5	4105
*H380	42.5	3931	45.5	4125
IMR 4007ssc	41.0	3728	44.5 <sup>c</sup>	4071
H414	42.5	3912	45.5	4126

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Most Accurate Load

<sup>c</sup> Compressed Load

## 220 Swift



50-grain TSX FB  
 Sectional Density .142  
 Ballistic Coefficient .197  
 C.O.A.L 2.650"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Big Game	40.0	3654	43.0	3926
A-2700	40.5	3722	43.5	3944
*H380	40.5	3698	43.5	3929
IMR 4007 <sup>ssc</sup>	38.5	3572	41.5	3873
H414	39.5	3687	42.5	3908
RL 17	40.0	3639	43.0	3932



53-grain TSX FB  
 Sectional Density .151  
 Ballistic Coefficient .204  
 C.O.A.L 2.650"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
A-2700	40.5	3635	43.5	3882
Big Game	40.0	3598	43.0	3839
RL 15	36.0	3564	39.0	3835
H380	39.5	3553	43.5	3860
*IMR 4007 <sup>ssc</sup>	39.5	3584	42.5	3812
H414	39.5	3552	43.5	3859

Recommended Twist 1:12 or Faster

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Most Accurate Load

° Compressed Load