



## 270 Win Short Mag Load Data

**Case:** R-P

**Barrel Length:** 24"

**Case Trim Length:** 2.090"

**Primer:** Fed 215

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
85gr	TSX FB	30254	0.158	0.246	2.650"
85gr	MPG FB	30249	0.158	0.229	2.650"
<b>Powder</b>	<b>Minimum</b>		<b>Maximum</b>		
	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	
IMR 4350	63.0	3482	68.5	3812	
H4350	63.0	3595	68.5	3826	
Win 760	62.0	3520	67.5	3834	
A-2700	62.5	3519	68.0	3846	
Hybrid 100V	64.0	3534	69.5c	3878	
RL 17	62.5	3545	68.0	3894	
Hunter	66.5	3605	72.0	3895	



## 270 Win Short Mag Load Data

Case: R-P

Barrel Length: 24"

Case Trim Length: 2.090"

Primer: Fed 215

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
95gr	TTSX BT	30271	0.177	0.292	2.650"
		Minimum	Maximum		
Powder	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
IMR 4350	62.5	3340	68.0c	3713	
H4350	62.5	3437	68.0	3713	
A-2700	61.5	3345	67.0	3732	
Hunter	65.0	3488	70.5	3740	
Hybrid 100V	62.0	3341	67.5c	3740	
RL 17	61.5	3357	67.0	3765	



## 270 Win Short Mag Load Data

**Case:** R-P

**Barrel Length:** 24"

**Case Trim Length:** 2.090"

**Primer:** Fed 215

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
110gr	TSX BT	30260	0.205	0.323	2.745"
110gr	TTSX BT	30274	0.205	0.377	2.775"
		<b>Minimum Charge</b>	<b>Minimum Velocity</b>	<b>Maximum Charge</b>	<b>Maximum Velocity</b>
<b>Powder</b>		<b>(grains)</b>	<b>(fps)</b>	<b>(grains)</b>	<b>(fps)</b>
H4350		58.2	3195	64.7	3496
A-2700		58.0	3183	64.4	3497
Hunter		65.5	3277	68.5	3506
IMR 4350		58.3	3201	64.8	3522
Win 760		62.5	3300	67.0	3523
Hybrid 100V		58.6	3187	65.1c	3545
RL 19		66.0	3293	71.0c	3552
MagPro		74.0	3315	80.0c	3576
RL 17		58.4	3266	64.9	3593



## 270 Win Short Mag Load Data

**Case:** R-P  
**Case Trim Length:** 2.090"  
**Primer:** Fed 215

**Barrel Length:** 24"  
**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
129gr	LRX BT	30262	0.240	0.463	2.845"
		<b>Minimum</b>		<b>Maximum</b>	
<b>Powder</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	
H4831sc	57.9	2925	64.3	3189	
IMR 7828SSC	57.4	2915	63.8	3206	
Hunter	56.9	2972	63.2	3232	
Hybrid 100V	54.0	2971	60.0	3248	
RL 19	57.0	3007	63.3	3261	
Superformance	58.2	3016	64.7	3276	
RL 17	53.5	3005	59.4	3280	



## 270 Win Short Mag Load Data

Case: R-P

Barrel Length: 24"

Case Trim Length: 2.090"

Primer: Fed 215

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
130	TSX BT	30264	0.242	0.374	2.740"
130	TTSX BT	30276	0.242	0.392	2.780"
Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
H4831sc	58.0	2908	64.5	3173	
IMR 7828SSC	57.0	2888	63.4	3181	
Hybrid 100V	53.5	2925	59.5	3219	
Hunter	57.5	2993	63.9	3227	
RL 19	56.5	2954	62.8	3231	
RL 17	52.0	2969	57.8	3231	
RL 22	61.5	2953	67.5c	3235	
MagPro	67.5	2983	74.0	3260	



## 270 Win Short Mag Load Data

**Case:** R-P  
**Case Trim Length:** 2.090"  
**Primer:** Fed 215

**Barrel Length:** 24"  
**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
140	TSX BT	30266	0.261	0.404	2.740"
		<b>Minimum</b>		<b>Maximum</b>	
<b>Powder</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	
H4831sc	56.4	2790	62.6	3069	
IMR 7828SSC	56.3	2780	62.6	3090	
Hybrid 100V	52.4	2784	58.2	3093	
RL 22	58.5	2834	64.5	3120	
MagPro	64.0	2861	70.5	3125	
Hunter	57.7	2920	64.2	3139	
RL 19	57.3	2837	63.6c	3151	



## **270 Win Short Mag Load Data**

**Case:** R-P  
**Case Trim Length:** 2.090"  
**Primer:** Fed 215

**Barrel Length:** 24"

**Twist Rate:** 1:10"

<b>Bullet Weight</b>	<b>Bullet Type</b>	<b>Bullet SKU</b>	<b>Bullet S.D</b>	<b>Bullet G1 B.C</b>	<b>Cartridge O.A.L</b>
150	TSX FB	30269	0.279	0.386	2.750"
<b>Powder</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	<b>Charge (grains)</b>	<b>Velocity (fps)</b>	
IMR 7828SSC	56.0	2653	61.5	2907	
Retumbo	59.0	2710	66.0c	2963	
RL 22	56.0	2701	61.5	2965	
H4831sc	58.1	2772	64.6c	3008	
Magnum	62.0	2755	69.0	3030	
H1000	61.4	2766	68.2c	3051	