

44 Remington Magnum

Case: Remington


Primer: Remington 2 1/2

Case Trim: 1.275"

Barrel Length: 8"

Twist Rate: 1:20"

Barrel: Wiseman



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

**Most Accurate Load*

[°] Compressed Load

44 Remington Magnum



200-grain XPB
Sectional Density .155
Ballistic Coefficient .138
C.O.A.L 1.591"

Suggested Bullet Use



| Powder | Minimum | | Maximum | |
|-----------------|-----------------|----------------|-------------------|----------------|
| | Charge (grains) | Velocity (fps) | Charge (grains) | Velocity (fps) |
| IMR 800x | 12.8 | 1402 | 14.2 ^c | 1517 |
| *A-No. 7 | 15.4 | 1380 | 17.1 | 1492 |
| True Blue | 11.9 | 1307 | 13.2 | 1424 |
| Blue Dot | 13.9 | 1373 | 15.5 | 1495 |
| A-4100 | 21.3 | 1541 | 23.6 ^c | 1676 |
| A-No. 9 | 18.0 | 1413 | 20.0 | 1562 |
| Enforcer | 22.0 | 1585 | 24.4 ^c | 1719 |
| 2400 | 16.9 | 1334 | 18.8 | 1508 |
| VihtaVuori N110 | 17.6 | 1403 | 19.6 ^c | 1543 |
| Lil'gun | 20.0 | 1504 | 22.2 ^c | 1653 |



225-grain XPB
Sectional Density .175
Ballistic Coefficient .166
C.O.A.L 1.604"

Suggested Bullet Use



| Powder | Minimum | | Maximum | |
|-----------------|-----------------|----------------|-------------------|----------------|
| | Charge (grains) | Velocity (fps) | Charge (grains) | Velocity (fps) |
| A-No .7 | 13.8 | 1207 | 15.3 | 1337 |
| True Blue | 10.4 | 1144 | 11.6 | 1248 |
| Blue Dot | 12.2 | 1206 | 13.6 | 1327 |
| A-4100 | 18.8 | 1358 | 20.9 ^c | 1480 |
| *A-No .9 | 16.3 | 1251 | 18.1 | 1379 |
| Enforcer | 20.0 | 1455 | 22.2 ^c | 1558 |
| 2400 | 14.9 | 1199 | 16.5 | 1341 |
| VihtaVuori N110 | 16.2 | 1276 | 18.0 ^c | 1401 |
| Lil'gun | 16.8 | 1309 | 18.6 ^c | 1446 |
| H110 | 19.9 | 1286 | 22.1 ^c | 1409 |

Recommended Twist: 1:20" Or Faster

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load

44 Remington Magnum



300-grain Buster FN FB

Sectional Density .233

Ballistic Coefficient .241

C.O.A.L 1.600"

Suggested Bullet Use



| Powder | Minimum | | Maximum | |
|-----------------|-----------------|----------------|-------------------|----------------|
| | Charge (grains) | Velocity (fps) | Charge (grains) | Velocity (fps) |
| A-No. 7 | 12.1 | 925 | 13.5 | 1038 |
| Blue Dot | 10.7 | 887 | 11.9 | 994 |
| A-4100 | 15.5 | 1069 | 17.3 ^c | 1179 |
| *A-No. 9 | 13.9 | 956 | 15.5 | 1077 |
| Enforcer | 15.7 | 1077 | 17.4 ^c | 1185 |
| 2400 | 13.2 | 911 | 14.7 | 1046 |
| VihtaVuori N110 | 13.5 | 992 | 15.0 | 1092 |
| Lil'gun | 14.5 | 1046 | 16.1 | 1167 |
| H110 | 16.4 | 994 | 18.2 ^c | 1119 |
| PowerPro 300mp | 18.5 | 1156 | 20.5 ^c | 1259 |

Recommended Twist: 1:20" Or Faster

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*Most Accurate Load

^c Compressed Load