



25-06 Remington Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Fed 210

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
80gr	TTSX BT	30218	0.173	0.316	3.090"
Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	
	H4831SC	57.0	3396	62.0c	3656
	Hunter	53.5	3478	58.5	3731
	IMR 4831	54.5	3432	59.5c	3732
	RL 17	51.5	3488	56.5	3788
	IMR 4350	53.5	3465	58.5	3797
	Hybrid 100V	52.5	3532	57.5c	3814



25-06 Remington Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Fed 210

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
100gr	TSX BT	30222	0.216	0.336	3.080"
100gr	TTSX BT	30220	0.216	0.357	3.090"
101gr	LRX BT	30479	0.218	0.400	3.100"
		Minimum		Maximum	
Powder		Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
	IMR 4831	48.0	3072	52.5	3284
	Retumbo	55.5	3093	60.0c	3301
	RL 19	49.0	3072	54.0	3306
	RL 22	50.5	3101	55.5	3320
	MagPro	55.5	3090	60.5	3323
	Magnum	57.5	3128	62.5	3348



25-06 Remington Load Data

Case: Remington

Barrel Length: 24"

Case Trim Length: 2.484"

Primer: Fed 210

Twist Rate: 1:10"

Bullet Weight	Bullet Type	Bullet SKU	Bullet S.D	Bullet G1 B.C	Cartridge O.A.L
115gr	TSX FB	30224	0.249	0.335	3.090"
		Minimum		Maximum	
Powder		Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
H4831SC		47.0	2797	52.0	2996
RL 19		47.0	2827	52.0	3078
IMR 4831		45.5	2821	50.5	3080
Retumbo		51.5	2828	56.5	3080
MagPro		53.5	2894	58.5	3115
RL 22		48.0	2881	53.0	3148
Magnum		55.0	2969	60.0	3161